

MIXPAC™ Shrouds Industrial

High quality safety shrouds for machine mixers MIXPAC™ MS series



High pressures, which are associated with dispensing equipment, require the use of safety shrouds. For safety reasons, MIXPAC™ shrouds must be used at all times.

Part number	Article	Description	inner Ø (mm)	outer Ø mm	L (mm)	Units / box
114335	SH 05-24-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	8.2	11.5	146	1
114340	SH 05-32-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	8.2	11.5	185	1
114336	SH 06-24-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	10.2	14.0	179.5	1
114341	SH 06-32-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	10.2	14.0	228.5	1
114348	SH 06-48-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	10.7	15.0	329	1
114347	SH 06-56-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	10.7	15.0	383.5	1

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ Shrouds Industrial

High quality safety shrouds for machine mixers MIXPAC™ MS series



High pressures, which are associated with dispensing equipment, require the use of safety shrouds. For safety reasons, MIXPAC™ shrouds must be used at all times.

Part number	Article	Description	inner Ø (mm)	outer Ø mm	L (mm)	Units / box
114337	SH 08-24-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	12.2	16.0	215	1
114342	SH 08-32-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	12.2	16.0	279	1
114338	SH 10-24-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	14.2	19.0	265.5	1
114343	SH 10-32-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	14.2	19.0	341.5	1
114367	SH 13-24-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	17.2	23.0	280.5	1
114369	SH 13-32-14	Shroud for MS Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	17.2	23.0	365.5	1

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ Shrouds Industrial

High quality safety shrouds for machine mixers MIXPAC™ MS series



High pressures, which are associated with dispensing equipment, require the use of safety shrouds. For safety reasons, MIXPAC™ shrouds must be used at all times.

Part number	Article	Description	inner Ø (mm)	outer Ø mm	L (mm)	Units / box
114345	SH 10-44-14	Shroud for MS Combo Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	14.2/12.2	19/16	401	1
114346	SH 13-44-14	Shroud for MS Combo Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), optional fitting 7/8" - 14 UNC thread	17.2/14.2	23/19	503	1

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ Shrouds Industrial

High quality safety shrouds for machine mixers MIXPAC™ ME series



High pressures, which are associated with dispensing equipment, require the use of safety shrouds. For safety reasons, MIXPAC™ shrouds must be used at all times.

Part number	Article	Description	inner Ø (mm)	outer Ø mm	L (mm)	Units / box
114351	SH 05-24-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	8.2	11.5	146	1
114356	SH 05-32-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	8.2	11.5	185	1
114352	SH 06-24-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	10.2	14.0	179.5	1
114357	SH 06-32-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	10.2	14.0	228.5	1
114349	SH 06-48-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	10.7	15.0	329	1
114365	SH 06-56-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	10.7	15.0	383.5	1

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ Shrouds Industrial

High quality safety shrouds for machine mixers MIXPAC™ ME series



High pressures, which are associated with dispensing equipment, require the use of safety shrouds. For safety reasons, MIXPAC™ shrouds must be used at all times.

Part number	Article	Description	inner Ø (mm)	outer Ø mm	L (mm)	Units / box
114353	SH 08-24-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	12.2	16.0	215	1
114358	SH 08-32-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	12.2	16.0	279	1
114354	SH 10-24-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	14.2	19.0	265.5	1
114359	SH 10-32-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	14.2	19.0	341.5	1
114366	SH 13-24-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	17.2	23.0	280.5	1
114368	SH 13-32-09	Shroud for ME Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	17.2	23.0	365.5	1

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ Shrouds Industrial

High quality safety shrouds for machine mixers MIXPAC™ ME series



High pressures, which are associated with dispensing equipment, require the use of safety shrouds. For safety reasons, MIXPAC™ shrouds must be used at all times.

Part number	Article	Description	inner Ø (mm)	outer Ø mm	L (mm)	Units / box
114362	SH 10-44-09	Shroud for ME Combo Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	14.2/12.2	19/16	401	1
114364	SH 13-44-09	Shroud for ME Combo Mixer, aluminium alloy, anodized finish, nut across flats 27.0 mm (1 1/16"), standard fitting 7/8" - 9 UNC thread	17.2/14.2	23/19	503	1

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com