SULZER

CASE STUDY

Blowing inefficiency away

Aeration is a critical process in any water treatment plant, so operators must ensure that blowers operate efficiently and reliably. Consequently, when Severn Trent decided to replace eight units at Derby Sewage Treatment Works to reduce the risk of downtime, six HST 20 turbocompressors from Sulzer were chosen.



"In the water industry, energy savings are a primary consideration and this enabled the funding of this important project. But there are many other benefits. We now have strategic backup blowers and do not just operate on a critical number available. Installing new Sulzer blowers positively impacted the works as the obsoleted blowers would have definitely affected treatment levels. Reduced maintenance is obviously a great advantage - no oil or water maintenance required, only air filters and no wearing parts."

David Wood, Senior Energy Project Manager at Severn Trent

Airing the water treatment process

Derby Sewage Treatment Works handles wastewater for a population of 440'000, processing an average of 1'000 liters and a maximum 2'300 liters of effluent every second. After water has passed the inlet and mechanical screens, it gravitates into the primary settlement tanks, where solids settle as sludge at the bottom. The sludge is drawn off and anaerobically digested to produce renewable fuel, but liquid flows onto the activated sludge plant (ASP).

Here, ammonia is extracted using biological processes and bacteria. Two key treatments take place. The first is anoxic, where the bacteria are starved of oxygen. The second is aerated, where bacteria utilize air and the contents of the water to fuel the treatment process. This final stage is possible thanks to blowers delivering pressurized air to the ASP.

Solving blower downtime

The blowers at Derby had reached the end of their 20-year service life. Therefore, Severn Trent decided to assess them to see if replacement with more efficient units was feasible. During this process, two blowers catastrophically failed, leaving the site with no spare blower capacity.

Air Technology Ltd conducted a performance comparison of the existing blowers with modern machines from different manufacturers. Sulzer's HST 20 turbocompressors were preferred, based on the results and six were specified to replace the old units.

"Sulzer air blowers were the best fit for the load and air demand of the site", confirms David Wood, Senior Energy Project Manager at Severn Trent.

The new install was planned just in time, as when work commenced, a third blower failed, which without the replacement project, would have necessitated hiring additional blowers to avoid downtime.

A challenging project delivered successfully

Work began in November 2020 with the delivery of the HSTs. The old equipment was removed through holes in the basement roof and the Sulzer units lowered into the blower house. New thin wall stainless steel connecting pipework was installed, replacing the aged, heavy steel originals. Aesthetic metal plinths ensure the blowers are all in line and level with each other, simplifying the design of pipework, pipe and cable supports.

The project faced several challenges. First of all, work had to be completed without causing any downtime at the facility and staff still needed access to the blowers to control ongoing ASP processes. This was achieved by commissioning a critical number of blowers to ensure the plant could still run effectively. Concurrently, the old control system was switched over to a fully automated one. The second was due to timing. The project took place during the global pandemic, requiring Sulzer experts to adhere to social distancing, staggered breaks and daily temperature checks.

CASE STUDY 2

Benefits beyond efficiency

Full transition to the new blowers was achieved on January 14 2021. The initial period saw the suggested 1.2 GW energy saving per year achieved. This equated to a 34% reduction in blower power consumption. The master control unit (MCU) further optimizes blower operation by calculating the best efficiency. Each offers performance of 7'000 m3/h at 590 mBar, while spinning at 20'000 rpm with no vibrations.

"In the water industry, energy savings are a primary consideration and this enabled the funding of this important project", explains David. "But there are many other benefits. We now have strategic backup blowers and do not just operate on a critical number available. Installing new Sulzer blowers positively impacted the works as the obsoleted blowers would have definitely affected treatment levels. Reduced maintenance is obviously a great advantage - no oil or water maintenance required, only air filters and no wearing parts."

Following the project, a noise assessment was carried out. Severn Trent's Health and Safety team confirmed that historical noise restrictions could be removed, so operatives working in the blower house basement no longer needed to wear ear protection. "We value very much the reduced noise in Sulzer air compressors and their compact size gives us more open, spacious environment", David adds.

Public utilities can't afford to suffer with unreliable or inefficient equipment, or it can impact quality of service. With six new HST 20 turbocompressors running at Derby Sewage Treatment Works, Severn Trent has breathed new life into this aeration process.



Severn Trent's Health and Safety team confirmed that historical noise restrictions could be removed, so operatives working in the blower house basement no longer needed to wear ear protection.

For any inquiries please contact

steve.wilburn@sulzer.com

sulzer.com

A10605 en 7.2023, Copyright © Sulzer Ltd 2023

This case study is a general product presentation. It does not provide a warranty or guarantee of any kind. Please contact us for a description of the warranties and guarantees offered with our products. Directions for use and safety will be given separately. All information herein is subject to change without notice.

CASE STUDY 3