


MIXPAC™ MR Series Industrial

Machine mixers for low viscosity 2-component reactive resin systems / Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

| Part number | Article | Description | Elements | inner Ø (mm) | outlet Ø mm | L (mm) | max operating pressure | Units / box |
|-------------|-------------------|--------------------------------------------------|----------|--------------|-------------|--------|------------------------|-------------|
| 102499 | MSR 06-12T | Rotary mixer PP, elements POM green, stepped tip | 12 | 6.4 | 1.8 | 111.5 | 30.0 | 2'000 |
| 102500 | MSR 08-12T | Rotary mixer PP, elements POM green, stepped tip | 12 | 8.0 | 2.4 | 130.0 | 27.0 | 1'500 |
| 102501 | MSR 10-12T | Rotary mixer PP, elements POM green, stepped tip | 12 | 10.0 | 3.0 | 155.0 | 22.0 | 1'500 |
| 102502 | MSR 13-12T | Rotary mixer PP, elements POM green, stepped tip | 12 | 13.0 | 4.0 | 197.0 | 17.0 | 1'000 |

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MS Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

| Part number | Article | Description | Elements | inner Ø (mm) | outlet Ø mm | L (mm) | max operating pressure | Units / box |
|-------------|---------------------|-----------------------------------------------------------------------|----------|--------------|-------------|--------|------------------------|-------------|
| 113743 | MS 13-12G | Machine Mixer PP, elements POM yellow, threaded tip | 12 | 13.0 | 10.0 | 159 | 17 | 1'000 |
| 102517 | MS 13-18G | Machine Mixer PP, elements POM yellow, threaded tip | 18 | 12.8 | 10.0 | 223 | 17 | 800 |
| 102519 | MS 13-24T-02 | Machine Mixer PP, long elements POM yellow, stepped tip | 24 | 13.0 | 4.0 | 350 | 17 | 500 |
| 102518 | MS 13-24T | Machine Mixer PP, elements POM yellow, stepped tip | 24 | 13.0 | 4.0 | 293 | 17 | 700 |
| 102522 | MS 13-32G-01 | Machine Mixer PP, elements POM yellow, threaded tip, treat NPT 1/4-18 | 32 | 13.0 | 8.0 | 373 | 17 | 400 |
| 102521 | MS 13-32T-02 | Machine Mixer PP, long elements POM yellow, stepped tip | 32 | 13.0 | 4.0 | 453 | 17 | 400 |
| 102520 | MS 13-32T | Machine Mixer PP, elements POM yellow, stepped tip | 32 | 13.0 | 4.0 | 378 | 17 | 500 |

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MS Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

| Part number | Article | Description | Elements | inner Ø (mm) | outlet Ø mm | L (mm) | max operating pressure | Units / box |
|-------------|------------------|----------------------------------------------------|----------|--------------|-------------|--------|------------------------|-------------|
| 102510 | MS 08-24T | Machine Mixer PP, elements POM yellow, stepped tip | 24 | 8.0 | 2.4 | 223 | 27 | 1'500 |
| 102511 | MS 08-32T | Machine Mixer PP, elements POM yellow, stepped tip | 32 | 8.0 | 2.4 | 289 | 27 | 1'200 |
| 102513 | MS 10-18T | Machine Mixer PP, elements POM yellow, stepped tip | 18 | 10.0 | 3.0 | 214 | 22 | 1'400 |
| 102514 | MS 10-24T | Machine Mixer PP, elements POM yellow, stepped tip | 24 | 10.0 | 3.0 | 276 | 22 | 1'000 |
| 102515 | MS 10-32T | Machine Mixer PP, elements POM yellow, stepped tip | 32 | 10.0 | 3.0 | 352 | 22 | 800 |

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MS Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

| Part number | Article | Description | Elements | inner Ø (mm) | outlet Ø mm | L (mm) | max operating pressure | Units / box |
|-------------|------------------|-----------------------------------------------------|----------|--------------|-------------|--------|------------------------|-------------|
| 102503 | MS 05-24T | Machine Mixer PP, elements POM yellow, stepped tip | 24 | 5.0 | 1.5 | 149 | 33 | 2'000 |
| 102504 | MS 05-32T | Machine Mixer PP, elements POM yellow, stepped tip | 32 | 5.0 | 1.5 | 188 | 33 | 2'000 |
| 102505 | MS 06-24T | Machine Mixer PP, elements POM yellow, stepped tip | 24 | 6.4 | 1.8 | 186 | 30 | 2'000 |
| 102506 | MS 06-32T | Machine Mixer PP, elements POM yellow, stepped tip | 32 | 6.4 | 1.8 | 235 | 30 | 1'700 |
| 102507 | MS 06-48T | Machine Mixer PP, elements POM yellow, stepped tip | 48 | 6.4 | 2.4 | 334 | 30 | 1'000 |
| 102509 | MS 06-56L | Machine Mixer PP, element POM yellow, luer lock tip | 56 | 6.4 | 4.5 | 378 | 30 | 800 |
| 102508 | MS 06-56D | Machine Mixer PP, element POM yellow, straight tip | 56 | 6.4 | 4.5 | 378 | 30 | 800 |

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Statomix™ MEF Series Industrial

Mixers for high pressure with F-interface 1:1/2:1



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

| Part number | Article | Description | Elements | inner Ø (mm) | outlet Ø mm | L (mm) | max operating pressure | Units / box |
|-------------|-------------------|-------------------------------------------------------------------------------|----------|--------------|-------------|--------|------------------------|-------------|
| 114327 | MEF 13-18T | Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface white | 18 | 13.0 | 4.0 | 235 | 17 | 900 |
| 114330 | MEF 13-24T | Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface white | 24 | 13.0 | 4.0 | 296 | 17 | 700 |

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ ME Series Industrial

Machine mixers for high pressure with F-interface 4:1/10:1



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

| Part number | Article | Description | Elements | inner Ø (mm) | outlet Ø mm | L (mm) | max operating pressure | Units / box |
|-------------|----------------------|------------------------------------------------|----------|--------------|-------------|--------|------------------------|-------------|
| 102455 | ME 1012-0832T | Combo Mixer PP, elements POM blue, stepped tip | 12+32 | 10/8 | 2.4 | 409 | 22 | 700 |
| 102458 | ME 1312-1032T | Combo Mixer PP, elements POM blue, stepped tip | 12+32 | 13/10 | 7.2 | 499 | 17 | 500 |

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MS Series Industrial

Machine mixers for high pressure with F-interface 4:1/10:1



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

| Part number | Article | Description | Elements | inner Ø (mm) | outlet Ø mm | L (mm) | max operating pressure | Units / box |
|-------------|----------------------|--------------------------------------------------|----------|--------------|-------------|--------|------------------------|-------------|
| 102512 | MS 1012-0832T | Combo Mixer PP, elements POM yellow, stepped tip | 12+32 | 10/8 | 2.4 | 409 | 22 | 700 |
| 102516 | MS 1312-1032T | Combo Mixer PP, elements POM yellow, stepped tip | 12+32 | 13/10 | 7.2 | 499 | 17 | 500 |

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ ME Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 15.9 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

| Part number | Article | Description | Elements | inner Ø (mm) | outlet Ø mm | L (mm) | max operating pressure | Units / box |
|-------------|---------------------|-------------------------------------------------------|----------|--------------|-------------|--------|------------------------|-------------|
| 102457 | ME 10-32T | Machine Mixer PP, elements POM blue, stepped tip | 32 | 10 | 3 | 355 | 22 | 800 |
| 102460 | ME 13-24T-02 | Machine Mixer PP, long elements POM blue, stepped tip | 24 | 13 | 4 | 350 | 17 | 500 |
| 102459 | ME 13-24T | Machine Mixer PP, elements POM blue, stepped tip | 24 | 13 | 4 | 293 | 17 | 700 |
| 102462 | ME 13-32T-02 | Machine Mixer PP, long elements POM blue, stepped tip | 32 | 13 | 4 | 453 | 17 | 400 |
| 102461 | ME 13-32T | Machine Mixer PP, elements POM blue, stepped tip | 32 | 13 | 4 | 378 | 17 | 500 |

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ ME Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 15.9 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

| Part number | Article | Description | Elements | inner Ø (mm) | outlet Ø mm | L (mm) | max operating pressure | Units / box |
|-------------|-----------|--------------------------------------------------|----------|--------------|-------------|--------|------------------------|-------------|
| 102448 | ME 05-24T | Machine Mixer PP, elements POM blue, stepped tip | 24 | 5.0 | 1.5 | 149 | 33 | 2000 |
| 102449 | ME 05-32T | Machine Mixer PP, elements POM blue, stepped tip | 32 | 5.0 | 1.5 | 188 | 33 | 2000 |
| 102450 | ME 06-24T | Machine Mixer PP, elements POM blue, stepped tip | 24 | 6.4 | 1.8 | 186 | 30 | 2000 |
| 102451 | ME 06-32T | Machine Mixer PP, elements POM blue, stepped tip | 32 | 6.4 | 1.8 | 235 | 30 | 1700 |
| 102452 | ME 06-48T | Machine Mixer PP, elements POM blue, stepped tip | 48 | 6.4 | 2.4 | 334 | 30 | 1000 |
| 102453 | ME 08-24T | Machine Mixer PP, elements POM blue, stepped tip | 24 | 8 | 2.4 | 223 | 27 | 1500 |
| 102454 | ME 08-32T | Machine Mixer PP, elements POM blue, stepped tip | 32 | 8 | 2.4 | 289 | 27 | 1200 |
| 102456 | ME 10-24T | Machine Mixer PP, elements POM blue, stepped tip | 24 | 10 | 3 | 276 | 22 | 1000 |

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com